

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of:

Ger VAN DEN ENGH

Patent. No.: 6,861,265

Issued: March 1, 2005

For: **Flow Cytometer Droplet
Formation System**

Confirmation No.: 2640

Art Unit: 1743

Examiner: Jan M. Ludlow

Atty. Docket: 2512.1710002

**Request for Certificate of Correction
Under 37 C.F.R. § 1.322 and 1.323**

Attn: Certificate of Correction Branch

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

It is hereby requested that a Certificate of Correction under 37 C.F.R. §§ 1.322 and 1.323 be issued for the above-captioned United States Patent. This Certificate of Correction is being requested due to mistakes which appear in the printed patent. These mistakes were made by Applicant. The mistakes made by Applicant are of a clerical or typographical nature, or of a minor character. Patentee submits that correction of these errors does not introduce new matter.

Specifically, the printed patent contains the following error for which a Certificate of Correction is respectfully requested:

In column 1, above the subtitle "BACKGROUND OF THE INVENTION,"
please insert the following subtitle and paragraph:

STATEMENT REGARDING FEDERALLY-SPONSORED RESEARCH
AND DEVELOPMENT

This invention was made with government support under DE-FG06-93ER-61662 awarded by Department of Energy. The government has certain rights in the invention.

Remarks

The above-noted corrections do not involve such changes in the patent as would constitute new matter or would require reexamination.

A completed Form PTO/SB/44 accompanies this request, with the above-noted corrections printed thereon. Accordingly, a Certificate of Correction is believed proper and issuance thereof is respectfully requested.

This request is accompanied by payment of the fee set forth in 37 C.F.R. § 1.20(a). Fee payment is provided in the attached Credit Card Payment Form (PTO-2038).

The Commissioner is hereby authorized to charge any fee deficiency, or credit
any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.



Kevin W. McCabe
Attorney for Patentee
Registration No. 41,182

Date: 3 April 2009

1100 New York Avenue, N.W.
Washington, D.C. 20005-3934
(202) 371-2600

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO: US 6,861,265 B1

DATED: March 1, 2005

INVENTOR(S): Ger VAN DEN ENGH

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

In column 1, above the subtitle "BACKGROUND OF THE INVENTION," please insert the following subtitle and paragraph:

--STATEMENT REGARDING FEDERALLY-SPONSORED RESEARCH AND DEVELOPMENT

This invention was made with government support under DE-FG06-93ER-61662 awarded by Department of Energy. The government has certain rights in the invention.--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

1100 New York Avenue, NW
Washington DC 20005-3934
Atty. Dkt. No. 2512.1710002

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.